

Trade Enquiries



Australia

(Source : Direct from the party)

Name of the Company	Addresses	Contact Person/Tel./Fax/E-mail	Items interested
Reliable Traders	74 Hillcrest Road Alexander Heights, W.A. 6064 Australia	Attn. : Mr. Balbir Rajput Tel/Fax : 61-8-93432932 E-mail : businessguru@hotmail.com	<p>- Hot dip galvanised mild steel platform shields. Quote for 360 units. The screw holes & angles have to be as per drawing so that when placed together the two sides of the platform shield must touch each other as in the picture with bolt holes facing each other. Secondly the holes must be of required size. The shield sides must join properly when placed together as per the drawing (See Platform3 pic).</p> <p>- Hot dip galvanised rods with cut threads (not rolled threads) on both ends. $\frac{1}{2}$" galvanised mild steel rod, 3.25 mtr. long, screwed $\frac{1}{2}$" BSWhitworth both ends (1" long threads on both ends) - qty 350 lengths. $\frac{5}{8}$" galvanised mild steel rod, 3.25 mtr long, screwed $\frac{5}{8}$" BSWhitworth both ends. (1" long threads on both ends) - qty 350 lengths. Quote on CIF (Fremantle) basis preferably in AUDs. (Drawings can be obtained from any of the EEPC offices in India/ downloaded from EEPC website under Enquiry section).</p>

Australia

(Source : EEPC Singapore Office)

<i>Name of the Company</i>	<i>Addresses</i>	<i>Contact Person/Tel./Fax/E-mail</i>	<i>Items interested</i>
Attic Ladders Pty. Ltd.	816-820, Princes Highway Tempe New South Wales 2044 Australia	Attn. : Mr. Chris Wilson Operations Manager Tel. : (02) 9559 3337 Fax : (02) 9559 1044 E-mail : info@atticladders.com.au Website : www.atticladders.com.au	Small metal components. Max CCD 200 mm.

Ghana

(Source : Direct from the party)

Mega Zillion Ltd.	P.O. Box 1337, Tema Ghana	Attn. : Mrs. Rejoice Dorcoo Tel. : 00233-22-300777 Fax : 00233-22-300375	<ul style="list-style-type: none"> - Sprockets (Type I) Qty. : 50 Specification : For chain saws displacement 64.1 cc Engine power 3.2 kw Weight (power head only) 5.9 kg. - Sprockets (Type II) Qty. : 50 Specification : For chain saws displacement 30.1 Engine power 1.3 kw Weight (power head only) 3.0 kg. - Saw chains Qty. : 100 Specification : $\frac{3}{8}$" RM 2 for 40 cm bars - Chain bars (40 cm) Qty. : 10 Specification : Guide bar - Chain bars (50) Qty. : 10 Specification : Guide bar - Chain saws Qty. : 10 Specification : Displacements - 64.1 cc Engine power – 3.2 kw Weight (head) – 5.9 kg Full capacity – 50 cc Oilmatic chain – Rm 2.40 – 70 cm Complete with 50 cm guide bar.
-------------------	------------------------------	--	---

Korea

(Source : Direct from the party)

Name of the Company	Addresses	Contact Person/Tel./Fax/E-mail	Items interested
Korea Trade-Investment Promotion Agency (KOTRA) (Trade office of Embassy of the Republic of Korea)	Maker Chamber – VI 9th Floor, Office No. 93 Nariman Point Mumbai – 400 021	Attn. : Mr. Bhavin G. Kadakia Senior Manager – Trade & Investment Tel. : 91-22-66318000 91-22-66157505 (D) Fax : 91-22-66318780 Mobile : 91- 98191 40102 E-mail : bhavin@kotra.or.kr bhavingkadakia@yahoo.co.in Website : http://english.kotra.or.kr	Shot blasted steel plates for shipbuilding. Specifications : Grade : A or AH Size : - Thickness : 12, 20, 25 mm - Width : 2.5 - 3.5 m - Length : 15 - 20 m Ship's classification certificate - Class of certificate : CCS, DNV, ABS, KR, RINA, LR, NK, BV Quantity : 50 - 100 M/T (year) 1. Whether your company can supply the above mentioned specifications of steel plates to Republic of Korea? (if yes then mention maximum quantity per month, quarter and year). 2. If your company is not able to supply the same specifications (mentioned above) at present then (a) Please mention <i>in future</i> , will your company able to supply? If yes then mention when (month & year and also maximum quantity per month, quarter and year). (b) What specifications (near to above) your company can offer, NOW?

Trade enquiry received from Indian Mission Overseas

UK

(Source : High Commission of India, London)

Name of the Company	Addresses	Contact Person/Tel./Fax/E-mail	Items interested
GDK Engineering Ltd.	Unit 65C, Blackpole Trading Estate (West) Blackpole Worcester, WR3 8TJ UK	Attn. : Mr. Stuart Easthope Director Tel. : 01905 454261 Fax : 01905 454231 E-mail : stuart.easthope@gdk-engineering.co.uk Website : www.gdk-engineering.co.uk	Castings, machined castings, slewing bearings, worm gears, general machining.

Romania

(Source : Direct from the party)

M/s. Energotehnica S. R. L., Alexandru Anghelus Street, Husi City, Vaslui County, Romania, Index : 735100, Fax/Tel. : 0040-235-481-416; 0040.235.470.773, E-mail : energotehnica@yahoo.com (Attn. : Mr. Ioan ESCU, General Manager) are interested for ferroalloys :

Ferroalloys to be used in Energotehnica Husi

Item	HCFeMn	MCFeMn	FeSiMn	FeSi	HCFeCr	LCFeCr	FeMo	FeTi	FeV	FeNb	FeB
%C	6.00 6.50	1.80 2.00	1.40 1.80	max 0.15	7.50 8.50	max 0.10	max 0.04	max 0.15	max 0.40	max 0.07	max 0.40
%Mn	76.0 78.0	86.0 88.0	66.0 68.0	-	-	-	-	-	max 0.40	-	-
%P	max 0.35 0.40	max 0.35 0.40	max 0.20	max 0.03	max 0.03	max 0.03	max 0.05	max 0.03	max 0.03	max 0.15	max 0.03
%S	max 0.03	max 0.03	max 0.03	max 0.03	max 0.03	max 0.03	max 0.08	max 0.03	max 0.03	max 0.03	max 0.03
%Si	0.50- 2.00*	max 2.50	16.0 18.0**	75.0 77.0	max 0.90	max 0.80	max 0.30	max 0.30	max 1.00	max 1.30	max 0.90
%Cu						max 0.30					
%Cr					65.0 67.0	66.0 68.0					
%Al				max 1.20				max 4.00	max 0.60	max 1.50	max 0.10
%Mo							66.0 68.0				
%Ti								70.0 72.0			
%V									80.0 82.0		
%Nb										65.0 67.0	
%Ca											
%B											17.0 19.0
Size	10/100	10/100		10/100	30/80	10/50	10/50	10/50	10/50	10/50	5/50
Tones/ month	2500	300	800	1000	20	20	8	22	20	30	2

*In case of urgent purchase the residual % Si can be max. 2.5 %;

** For the special steel grades (X; gr 70; etc...) is necessary to purchase FeSiMn with % P low than 0.2 and % C low than 1.0

Quality technical specifications and quantities in the follow conditions :

1. Quality - according to clients technical norms
2. Quantity - according to each months clients Inquiry.
3. Delivery conditions – CIF Galatzi harbour
4. Payment – by irevocable, documentations LC from The first class bank.