



**Government of India
Ministry of Commerce & Industry
Department of Commerce
Directorate General of Foreign Trade
New Delhi**

Public Notice No. 63 (RE-2007)/2004-2009

Dated 8th October, 2007

The Directorate General of Foreign Trade, Ministry of Commerce and Industry, Department of Commerce, Government of India, New Delhi vide its Public Notice No. 63(RE-2007)/2004-2009 dated 8th October, 2007 has made certain amendments/additions/deletions/corrections in the Handbook of Procedures, Vol. 2, 2004-2009. The amendments/additions/deletions/corrections made with reference to engineering products are reproduced below :

In exercise of the powers conferred under Paragraph 2.4 of the Foreign Trade Policy, 2004-09 and Paragraph 1.1 of the Handbook of Procedures (Vol.1), the Director General of Foreign Trade hereby makes the following amendments/additions/deletions/corrections in the Handbook of Procedures, Vol.2, and 2004-2009, as amended from time to time.

2. In the statement of Standard Input Output Norms (SION) as contained in the Handbook of Procedures (Vol. 2), 2004-2009, as amended from time to time, amendments/corrections at appropriate places as mentioned in **Annexure "A"** to this Public Notice are made.

(F. No. 01/80/162/828/AM08/DES-I)

Annexure "A"

Amendments/Corrections

SION C-1976

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>	
1.	10	Engineering Product C-1976 Amended vide Public Notice No. 5 dated 27.04.2005	The norm covered by this entry is substituted to read as under :	
<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>	
LT/HT Aerial Bunched Cables 1 x 25 + 25 Sq. mm.	1 Km.	1. Aluminium Ingot 2. XLPE Compound 3. Aluminium – Magnesium – Silicon Alloy Ingot OR (a) Primary unalloyed Aluminium (b) Magnesium (c) Silicon	68 Kgs. 26 Kgs. 68 Kgs.	1.02 Kg./Kg. content in the export product. 1.10 Kg./Kg. content in the export product. 1.075 Kg. content in the export product.

C-1977

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	11	Engineering Product C-1977 Amended vide Public Notice No. 5 dated 27.04.2005	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
LT/HT Aerial Bunched Cables 3 x 25 + 1 x 25 Sq. mm.	1 Km.	1. Aluminium Ingot 2. XLPE Compound 3. Aluminium – Magnesium – Silicon Alloy Ingot OR (a) Primary unalloyed Aluminium (b) Magnesium (c) Silicon	208 Kgs. 80 Kgs. 68 Kgs. 1.02 Kg./Kg. content in the export product. 1.10 Kg./Kg. content in the export product. 1.075 Kg. Content in the export product.

C-1978

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	11	Engineering Product C-1978 Amended vide Public Notice No. 5 dated 27.04.2005	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
LT/HT Aerial Bunched Cables 3 x 50 + 1 x 35 Sq. mm.	1 Km.	1. Aluminium Ingot 2. XLPE Compound 3. Aluminium – Magnesium – Silicon Alloy Ingot OR (a) Primary unalloyed Aluminium (b) Magnesium (c) Silicon	383 Kgs. 133 Kgs. 93 Kgs. 1.02 Kg./Kg. content in the export product. 1.10 Kg./Kg. content in the export product. 1.075 Kg. content in the export product.

C-2011

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-296	Engineering Product C-2011	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
Nickel Cadmium Pocket Plate Batteries in Polypropylene Containers with spare and standard accessories	1 No.	1. Nickel Hydroxide Powder (45-65% Nickel + Cobalt) OR Hydrated Nickel Sulphate OR Nickel Anode	1.02 Kg./Kg. content in the export product. net-to-net basis. net-to-net basis.
		2. Cadmium Hydroxide OR (a) Cadmium Oxide (87.25% Cadmium) (b) Graphite Flakes (99.62% Carbon Min.)	1.02 Kg./Kg. content in the export product. 1.02 Kg./Kg. content in the export product. 1.02 Kg./Kg. content in the export product.
		3. C.R. Steel Strips/Perforated Steel Strips (0.08 to 0.1 mm thick)	1.05 Kg./Kg. content in the export product.
		4. Lithium Hydroxide (Monohydrated/Solid)	1.02 Kg./Kg. content in the export product.
		5. Potassium Hydroxide	1.02 Kg./Kg. content in the export product.
		6. Polypropylene Granules	1.05 Kg./Kg. content in the export product.

C-654

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-96	Engineering Product C-654	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
Non-Alloy/Alloy/ Stainless Steel Fully Threaded Rods (Ungalvanized/ Galvanized)	1 MT.	1. Non-Alloy/Alloy/Stainless Steel/ Bars & Rods (including Rounds & Wire Rods) of relevant grade	1.056 MT.
		2. Zinc (against export of Galvanized Threaded Rods only)	0.040 MT.

C-580

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-90	Engineering Product C-580	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
Brass Builder Hardware	1 Kg.	Brass Scrap	1.11 Kg./Kg. content in the export product.

C-564

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-88	Engineering Product C-564	The norm covered by this entry is substituted to read as under :
		From	To
		“Import item viz. insulator mentioned at Sl. NO. 8 of components shall be allowed for import in lieu of import items at Sl. No. 1 to 20 of raw material.”	Import item viz. insulator mentioned at Sl. No. 8 of components shall be allowed for import in lieu of import items at Sl. No. 1 to 12 of raw material.”

SION C-1

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-1	Engineering Product C-1	The norm covered by this entry is substituted to read as under :
		Export Product	Qty.
		Import Items	Qty. Allowed
		All Aluminium Conductor (Bare)	1 MT.
			Aluminium Wire Rod OR Aluminium Ingot/Billets
			1.01 MT. 1.04 MT.

SION C-7

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-1	Engineering Product C-7	The norm covered by this entry is substituted to read as under :
		Export Product	Qty.
		Import Items	Qty. Allowed
		Aluminium Conductor Steel Reinforced (ACSR)	1 MT.
			1. Aluminium Wire Rod OR Aluminium Ingot/Billets
			1.01 Kg./Kg. content in the export product. 1.04 Kg./Kg. content in the export product.
			2. (a) High Carbon Steel Wire/Rod
			(b) Zinc
			1.02 Kg./Kg. content in the export product. 4% of weight of Steel content.
		OR	
		3. Galvanized High Carbon Steel Wire	1.02 Kg./Kg. content in the export product.

SION C-1394

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-187	Engineering Product C-1394	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
All Aluminium Alloy Conductor	1 Kg.	1. (a) Primary Unalloyed Aluminium OR Aluminium Scrap (b) Magnesium (c) Silicon	1.02 Kg./Kg. content in the export product. 1.05 Kg./Kg. content in the export product. 1.10 Kg./Kg. content in the export product. 1.075 Kg./Kg. content in the export product.
		2. Aluminium Alloy Ingots/ Billets/T-Bars/Sows	1.01 Kg./Kg. content in the export product.
		3. Aluminium Alloy Wire Rod	1.01 Kg./Kg. content in the export product.

SION C-1479

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections/Addition</i>
1.	C-195	Engineering Product C-1479	The norm covered by this entry is substituted to read as under :

<i>Export Product</i>	<i>Qty.</i>	<i>Import Items</i>	<i>Qty. Allowed</i>
Alloy Aluminium Conductor Steel Reinforced (ACSR)	1 Kg.	1. Primary Unalloyed (a) Aluminium (b) Magnesium (c) Silicon OR Aluminium Alloy Ingots/ Billets/T-Bars/Sows/Wire Rods	1.02 Kg./Kg. content in the export product. 1.10 Kg./Kg. content in the export product. 1.075 Kg./Kg. content in the export product. 1.01 Kg./Kg. content in the export product.
		2. High Carbon Steel Wire/Rod	1.02 Kg./Kg. content in the export product.
		3. Zinc	4% of the weight of Steel content.