

Trade Enquiries



**Canada**

(Source : EEPC Chicago Office)

Name of the Company	Addresses	Contact Person/Tel./Fax/E-mail	Items interested
Sourcetec Industries	235, Dixon Road Toronto, Ontario M9P 2M5 Canada	Attn. : Mr. Nicole Ross Tel. : 905-678-9333 Fax : 905-678-7133 E-mail : nicoler@sourcetecindustries.com Website : www.sourcetecindustries.com	Single phase AC motors.
Logimex	88 Fournier Drummondville, Qc J2C - 2J6 Canada	Attn. : Mr. Steve Leroux Purchasing Logistics Tel. : 819-477-3303 Fax : 819-850-1333 E-mail : s.leroux@logimex.ca Website : http://www.logimex.ca	Ventilation tubing, blowers and fans, stamping dies and electrical cable harnesses.

**Germany**

(Source : EEPC Duesseldorf Office)

Engineers' Office Dickert	Plantagenstr. 16 D-12169 Berlin Germany	Attn. : Mr. Peter H. Dickert Tel. : +49 30 79748850 Fax : +49 30 7911849 E-mail : pediberlin@aol.com	Ground plates (stainless steel A 304) with/without tube connection. Pos. A 1-1 to A 1-10 All dimension together, then appr.50 000 pieces, appr. US\$ 12.00/100 pieces Ground Plate. Pos. B 1-1 to B 1-7 All dimensions together, then appr. 30 000 pieces, appr. US\$ 18.00/100 pieces Ground Plate with Tube. The prices should be on CIF Hamburg Port (inclusive of good packing). (Drawings can be obtained from any of the EEPC offices in India).
HDB-Consulting GmbH	Tischlerstrasse 3 D-38518 Gifhorn Germany	Attn. : Mr. Hans-Dieter Beckmann Tel. : +49 5371-990306 Fax : +49 5371-990307 E-mail : office@hdb-consult.com	Fuel tanks made of carbon fibre in a resin matrix (filament winding technique). Volume : 70 litres, pressure up to 300 bar, fluid is compressed natural gas.
DKB Enterprise e.K.	Muehlen Str. 241 41236 Moenchengladbach Germany	Attn. : Mr. D. K. Banerjee Tel. : 02166-22595 Fax : 02166-23338 E-mail : Shankba@aol.com	Solar module for solar-energy units. Type : Mono or polychristalline module for use in solar-units in Europe.
Grenzebach BSH GmbH	August-Gottlieb-Straße 5 D-36251 Bad Hersfeld Germany	Attn. : Mr. Marc Engelhardt Tel. : +49 6621 81650 Fax : +49 6621 81494 E-mail : marc.engelhardt@grenzebach.com	- Steel construction works, framework for dryers - Insulation panels, insulation works - Complete components such as fans, lifting tables, conveyor plants etc.



EEPC INDIA

## Singapore

(Source : EEPC Singapore Office)

Name of the Company	Addresses	Contact Person/Tel./Fax/E-mail	Items interested
Human Touch	21 Secioence Park Road #02-03 Aquarius Singapore 117628	Attn. : Mr. Mahesh Balakrishnan Tel. : 65-67994166 Fax : 65-67742459 E-mail : maheshb@humantouchconnect.com	Ferrous materials : - Bronze C5191 1/4H 0.35 x 15 x C - Copper C1100R 1/2H 0.5 x 18 x C - CRS Coil 1.25 x 62 x C Quote with best price, order MOQ quantity, lead time and payment term.

## Saudi Arabia

(Source : Direct from the party)

Al Babtain Power & Telecommunicatio Co.	Riyadh Saudi Arabia	Attn. : Mr. Mohammed Hajikareem Development Manager Tel. : 00966-1-2411222 Ext. 3326 Fax : 00966-1-2413395/2415250 E-mail : mhkareem@al-babtain.com.sa	Mild steel black square tube : - 160 x 6.3 mm x 12 mtr long : 500 tons - 180 x 180 x 6.3 mm x 12 mtr long : 500 tons The price should be C/F Saudi Arabia (Dammam or Jeddah).
---	------------------------	--	--

## Thailand

(Source : EEPC Singapore Office)

R.P.M. Import Export L.P.	144/80, Thanurat Road, Sathorn Bangkok 10120 Thailand	Attn. : Mr. Misra Tel. : +66-2-2863737, 2873737 Fax : +66-2-2131395 E-mail : rpmimex@yahoo.com	- Beadwire (used in the motor tyres), files, motor parts. - Tractor parts.
---------------------------	---	---	---

## USA

(Source : EEPC Chicago Office)

Ensign Engineering, PC	3397, East Tremont Avenue Bronx, NY 10461 USA	Attn. : Mr. Carl Cannizzaro, P.E. Vice President, Principal Tel. : 718-863-5590 Fax : 718-863-6178 E-mail : cjc@ensignengineering.com Website : www.ensignengineering.com	High temperature silicone hose. (Details can be obtained from any of the EEPC offices in India).
------------------------	---	--	---

## Australia

(Source : Direct from the party)

M/s. Reliable Traders, 74, Hillcrest Road, Alexander Heights, W.A. 6064, Australia, Tel/Fax : 61-8-93432932, E-mail : businessguru@hotmail.com (Attn. : Mr. Balbir Rajput) are interested to import Couplings in DR Brass & Galvanised Steel as per following Specifications :

Art. No.	Material	Quantity
GS1212	Hot Dip Galvanised Steel	500
GS1616	Hot Dip Galvanised Steel	1000
BS1212	DR Brass	500
BS1616	DR Brass	500

### DR brass has following rough composition :

Copper	: 61%	Arsenic	: 0.15%
Lead	: 3.25%	Zinc	: 35%
Tin	: 0.20% Max	Others	: 0.6%

(Drawings can be obtained from any of the EEPC offices in India).

## Canada

(Source : EEPC Chicago Office)

M/s. Envirequip W.T.E.M. Inc., RRI, 21494 Little Russia Road, Glen Robertson, K0B 1H0, Ontario, Canada, (Attn. : Mr. Ray Jacques, President) Tel. : 613 874 2616, Fax : 613 874 2629, E-mail : envireqp@glen-net.ca, Website : www.envirequip.com are interested to import Stainless Steel Plates and Shafts as per details given below :

304L and/or 316L Stainless Steel Plate – 1" thick and Shafts - 6" diameter. Current requirement is —

### Shafting : 316L

Quantity (# of shafts)	Length	Diameter	Weight (per 1blft)
12	144"	5.0"	66.76
6	144"	4.0"	42.73
6	120"	4.0"	42.73
6	144"	6.0"	96.14
6	120"	6.0"	96.14



EEPC INDIA

South Africa

(Source : EEPC Johannesburg Office)

M/s. Ixacon Construction Projects C.C., 2 Venter Street, 38 Villa Angellique, Randhart 1449, South Africa, (Attn. : Mr. Isaac Leptho) Tel. : +27-11-9332754, Fax : +27-11-9331230, E-mail : ixacon@iburst.co.za are interested to import Hoses as per following Specifications :

Hydraulic Hose

Application : Hydraulic system service with petroleum and water based-fluids, for general industrial service

Construction

- Tube : Synthetic rubber tube
Reinforcement : Double wire braid
Cover : Synthetic rubber cover
Temperature : - 40° to +212°F (- 40°C to +100°C)
Packaging : Lengths between 4 - 32 inches
Couplings : Crimp Fittings
Global : Skive Nipples

Table with 7 columns: Part No. (in), ID (in), OD Pressure, Operating Pressure, Burst Bend, Radius (Lbs/ft), Weight. Rows include specifications for part numbers 2781-8, 2781-12, and 2781-16.

+ Improved pressure performance when used with global fittings.