



**Government of India
Ministry of Commerce & Industry
Department of Commerce
New Delhi**

Public Notice No. 05(RE-2005)/2004-2009

Dated 27th April, 2005

The Directorate General of Foreign Trade, Ministry of Commerce and Industry, Department of Commerce, Government of India, New Delhi vide its Public Notice No. 05(RE:2005)/2004-2009 dated 27th April, 2005 has made certain amendments/deletions/corrections and additions in the Handbook of Procedures, Vol. 2, 2002-2007. The amendments/deletions/corrections and additions made with reference to engineering products are reproduced below :

In exercise of the powers conferred under Paragraph 2.4 of the Foreign Trade Policy, 2004-09 and Paragraph 1.1 of Handbook of Procedures (Vol. 1), the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol. 2, 2002-2007, as amended.

2. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, (Vol. 2) 2002-2007, as amended, amendments/corrections/deletion at appropriate places as mentioned in **Annexure "A"** to this Public Notice are made.

3. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below :-

Engineering Products

After the existing entry at Sl. No. C-2013, new entry at Sl. No. C-2014 is added as per **Annexure "C"** to this Public Notice.

Annexure "A"

Amendments/Corrections

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections</i>										
15.	C37	Engineering Product Sl. No. C297	The norm covered by this entry is amended to read as under :- <table border="1"> <thead> <tr> <th><i>Sl. No.</i></th> <th><i>Export Item</i></th> <th><i>Qty.</i></th> <th><i>Import Item</i></th> <th><i>Qty. Allowed</i></th> </tr> </thead> <tbody> <tr> <td>C297</td> <td>Rotor/Rotor Stampings & Stator Stack/Stator Stampings – (in sets) for Electric Motors</td> <td>1 kg</td> <td>1. CRGO/CRNGO/ CRCA Steel Sheets/ Coils 2. Aluminium Ingot</td> <td>1.75 kg/Kg content in export product. 1.06 Kg/Kg content in export product</td> </tr> </tbody> </table>	<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>	C297	Rotor/Rotor Stampings & Stator Stack/Stator Stampings – (in sets) for Electric Motors	1 kg	1. CRGO/CRNGO/ CRCA Steel Sheets/ Coils 2. Aluminium Ingot	1.75 kg/Kg content in export product. 1.06 Kg/Kg content in export product
<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>									
C297	Rotor/Rotor Stampings & Stator Stack/Stator Stampings – (in sets) for Electric Motors	1 kg	1. CRGO/CRNGO/ CRCA Steel Sheets/ Coils 2. Aluminium Ingot	1.75 kg/Kg content in export product. 1.06 Kg/Kg content in export product									
16.	C74-C76	Engineering Product Sl. No. C508	The foot note at Sl. No. 5 appearing below this entry stands deleted with effect from 01.09.2004.										
17.	C121	Engineering Product Sl. No. C948	The norm covered by this entry is amended to read as under :- <table border="1"> <thead> <tr> <th><i>Sl. No.</i></th> <th><i>Export Item</i></th> <th><i>Qty.</i></th> <th><i>Import Item</i></th> <th><i>Qty. Allowed</i></th> </tr> </thead> <tbody> <tr> <td>C948</td> <td>Plastic Injection/ Extrusion Mould/ Dies Made of Alloy Steel/Tool Steel</td> <td>1 kg</td> <td>1. Relevant Alloy Steel/Tool Bars/ Rods/Flats/Rounds/ Plates</td> <td>1.25 kg</td> </tr> </tbody> </table>	<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>	C948	Plastic Injection/ Extrusion Mould/ Dies Made of Alloy Steel/Tool Steel	1 kg	1. Relevant Alloy Steel/Tool Bars/ Rods/Flats/Rounds/ Plates	1.25 kg
<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>									
C948	Plastic Injection/ Extrusion Mould/ Dies Made of Alloy Steel/Tool Steel	1 kg	1. Relevant Alloy Steel/Tool Bars/ Rods/Flats/Rounds/ Plates	1.25 kg									
18.	C143-C145	Engineering Product Sl. No. C1059	The description of export item is amended to read as under :- "Commercial Vehicles of GVW upto 7.5 MT in CBU/SKD/CKD condition"										
19.	C145-C149	Engineering Product Sl. No. C1062	The description of export item is amended to read as under :- "Commercial Vehicles of GVW above 7.5 MT and upto 16.5 MT in CBU/CKD/ SKD condition"										



<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections</i>										
20.	C152-C154	Engineering Product Sl. No. C1076	<ol style="list-style-type: none"> The description of import item at Sl. No. 1, (without any change in quantity) is amended to read as under :- “Cold Rolled (Prime) Steel Sheets/Strips/Steel Sheets/Strips/Wide Coils” The description of import item at Sl. No. 2, (without any change in quantity) is amended to read as under :- “Hot Rolled (Prime) Steel Sheets/Strips/Wide Coils” 										
21.	C165	Engineering Product Sl. No. C1176	<p>After the description of import item at Sl. No. 2, the following additional import items (with quantity) are added :-</p> <ol style="list-style-type: none"> 3. Calcium Hexa Bromide/Calcium Bromide 4. Hot Die Steel 5. Lubricants 6. Tungsten Carbide Drawing Dies & Plugs 7. Refractory Ramming Mass” <p>Note : CIF value of the above mentioned item No. 3 to 7 is limited to 1.5% of FOB value of export.</p>										
22.	C165	Engineering Product Sl. No. C1177	<p>The description of import item at Sl. No. 3, (without any change in quantity) is amended to read as under :-</p> <p>“Calcium Hexa Bromide/Calcium Bromide”</p>										
23.	C185	Engineering Product Sl. No. C1382	<p>After import item at Sl. No. 3, the following import item (with quantity) is added :-</p> <p>“4. Galvanised Steel Wire - 1.02 kg/kg content in export product”</p>										
24.	C186	Engineering Product Sl. No. C1390	The norms covered by this entry stands deleted.										
25.	C239	Engineering Product Sl. No. C1695	<p>The norm covered by this entry is amended to read as under :-</p> <table border="1"> <thead> <tr> <th><i>Sl. No.</i></th> <th><i>Export Item</i></th> <th><i>Qty.</i></th> <th><i>Import Item</i></th> <th><i>Qty. Allowed</i></th> </tr> </thead> <tbody> <tr> <td>C1695</td> <td>Output Transformer for uninterrupted Power Supply (up to 500 VA and for primary input voltage of 120 Volts to 240 Volts and 50 & 60 Hertz) weighing up to 2.29 Kgs.</td> <td>1 No.</td> <td> <ol style="list-style-type: none"> CRGO/CRNGO Lamination E & I Strips OR CRGO/CRNGO Steel Sheets Copper Wire of relevant diameters (coated or uncoated) Mylar Polyester film of relevant thickness and width Electrical Grade Insulating Tape (18 to 45 mm width, with or without adhesive) Relevant Nylon 66/Polybutalene Terrapthelate/ Polyethylene Terrapthelate/ Nylon6/ Polyphenylene Sulphide/PET OR Bobbin Relevant PVC Cable or Lead Wire </td> <td> <ol style="list-style-type: none"> 1 Kg/Kg content in the export product 1.07 Kgs/Kg content in the export product 1.01 Kgs/Kg content in the export product 1.02 Mtrs/Mtr content in the export product 1.02 Mtrs/Mtr content in the export product 1.02 Kgs/Kg content in the export product Net to net 1.01Mtrs/Mtr content in the export product </td> </tr> </tbody> </table>	<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>	C1695	Output Transformer for uninterrupted Power Supply (up to 500 VA and for primary input voltage of 120 Volts to 240 Volts and 50 & 60 Hertz) weighing up to 2.29 Kgs.	1 No.	<ol style="list-style-type: none"> CRGO/CRNGO Lamination E & I Strips OR CRGO/CRNGO Steel Sheets Copper Wire of relevant diameters (coated or uncoated) Mylar Polyester film of relevant thickness and width Electrical Grade Insulating Tape (18 to 45 mm width, with or without adhesive) Relevant Nylon 66/Polybutalene Terrapthelate/ Polyethylene Terrapthelate/ Nylon6/ Polyphenylene Sulphide/PET OR Bobbin Relevant PVC Cable or Lead Wire 	<ol style="list-style-type: none"> 1 Kg/Kg content in the export product 1.07 Kgs/Kg content in the export product 1.01 Kgs/Kg content in the export product 1.02 Mtrs/Mtr content in the export product 1.02 Mtrs/Mtr content in the export product 1.02 Kgs/Kg content in the export product Net to net 1.01Mtrs/Mtr content in the export product
<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>									
C1695	Output Transformer for uninterrupted Power Supply (up to 500 VA and for primary input voltage of 120 Volts to 240 Volts and 50 & 60 Hertz) weighing up to 2.29 Kgs.	1 No.	<ol style="list-style-type: none"> CRGO/CRNGO Lamination E & I Strips OR CRGO/CRNGO Steel Sheets Copper Wire of relevant diameters (coated or uncoated) Mylar Polyester film of relevant thickness and width Electrical Grade Insulating Tape (18 to 45 mm width, with or without adhesive) Relevant Nylon 66/Polybutalene Terrapthelate/ Polyethylene Terrapthelate/ Nylon6/ Polyphenylene Sulphide/PET OR Bobbin Relevant PVC Cable or Lead Wire 	<ol style="list-style-type: none"> 1 Kg/Kg content in the export product 1.07 Kgs/Kg content in the export product 1.01 Kgs/Kg content in the export product 1.02 Mtrs/Mtr content in the export product 1.02 Mtrs/Mtr content in the export product 1.02 Kgs/Kg content in the export product Net to net 1.01Mtrs/Mtr content in the export product 									

Sl. No.	Page No.	Reference	Amendments/Corrections				
			Sl. No.	Export Item	Qty.	Import Item	Qty. Allowed
						8. (a) PVC Sleeve (b) Terminal OR Insulated Faston Terminals/fully vinyl Insulated Female disconnects 250 Series	Net to net Net to net Net to net
						9. Electrical Insula- ting Paper/Nomex Paper of relevant GSM	1.02 Kgs/Kg content in the export product
						10. Housing	Net to net
						11. Varnish/Epoxy Resin/Thinner/ Hardener/Lacquers	CIF value limited to 1% of FOB value
26.	C260	Engineering Product Sl. No. C1829	1.	The description of import item at Sl. No. 1, (without any change in quantity) is amended to read as under :- “High Impact Polystyrene”			
			2.	The description of import item at Sl. No. 7, (along with quantity) is amended to read as under :- “7. Expanded Polystyrene - 1.05 kg/kg content in the export product”			
27.	C272-C273	Engineering Product Sl. No. C1909		The description of the alternative import item at Sl. No. 1 (h), is amended to read as under :- “1(h). Manganese Oxide/Manganese Dioxide”			
28.	C273	Engineering Product Sl. No. C1910		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
29.	C274	Engineering Product Sl. No. C1911		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
30.	C274-C275	Engineering Product Sl. No. C1912		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
31.	C275-C276	Engineering Product Sl. No. C1913		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
32.	C276-C277	Engineering Product Sl. No. C1914		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
33.	C277	Engineering Product Sl. No. C1915		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
34.	C277- C278	Engineering Product Sl. No. C1916		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			
35.	C278	Engineering Product Sl. No. C1917 (Amended vide Public Notice No. 23 Dated :10/09/2003)		The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”			



Sl. No.	Page No.	Reference	Amendments/Corrections																																								
36.	C278-C279	Engineering Product Sl. No. C1918	The description of the alternative import item at Sl. No. 1(h), is amended to read as under :- “1h. Manganese Oxide/Manganese Dioxide”																																								
37.	C281-C282	Engineering Product Sl. No. C1924	1. The description of import items at Sl. Nos. 1 & 2, (with quantity) is amended to read as under :- “1(a). Aluminium Wire/Rods 1.01 MT/MT content in export product 1(b). Aluminium Alloy Wire/Rods 1.01 MT/MT content in export product 2(a). Aluminium Ingots 1.05 MT/MT content in export product 2(b). Aluminium Alloy Ingots (LM6/LM8) 1.05 MT/MT content in export product” 2. The description of import item at Sl. No. 6 (without any change in quantity) is amended to read as under :- “Synthetic Rubber (Grade Skyprene B-30/Grade Bayprem)”																																								
38.	C291	Engineering Product Sl. No. C1976	The description of import item at Sl. No. 3, (without any change in quantity) is amended to read as under :- “Aluminium-Magnesium-Silicon Alloy-Ingot”																																								
39.	C291	Engineering Product Sl. No. C1977	The description of import item at Sl. No. 3, (without any change in quantity) is amended to read as under :- “Aluminium-Magnesium-Silicon Alloy-Ingot”																																								
40.	C291	Engineering Product Sl. No. C1978	The description of import item at Sl. No. 3, (without any change in quantity) is amended to read as under :- “Aluminium-Magnesium-Silicon Alloy-Ingot”																																								
41.	C296	Engineering Product Sl. No. C2006	The norm covered by this entry is amended to read as under :- <table border="1" data-bbox="655 1093 1505 1877"> <thead> <tr> <th>Sl. No.</th> <th>Export Item</th> <th>Qty.</th> <th>Import Item</th> <th>Qty. Allowed</th> </tr> </thead> <tbody> <tr> <td>C2006</td> <td>Trumpet Horns</td> <td>1 No.</td> <td>1. CRCA Steel Strip 0.6 x 12 OR Spring</td> <td>1.07 Kg/kg content in the export product Net to Net</td> </tr> <tr> <td></td> <td></td> <td></td> <td>2. CRCA Steel Strip 0.18 x 0.9 OR Membrane/ Diaphragm</td> <td>1.20 Kg/kg content in the export product Net to Net</td> </tr> <tr> <td></td> <td></td> <td></td> <td>3. Alu-Zinc Steel Strip 1.25 x 118.4 OR Housing</td> <td>1.22 Kg/kg content in the export product Net to Net</td> </tr> <tr> <td></td> <td></td> <td></td> <td>4. Super Enameled Copper Wire/ Copper Wire</td> <td>1 Kg/kg content in the export product</td> </tr> <tr> <td></td> <td></td> <td></td> <td>5. ABS Black OR Trumpet</td> <td>1.05 Kg/kg content in the export product Net to Net</td> </tr> <tr> <td></td> <td></td> <td></td> <td>6. Glue</td> <td>1% of FOB value of export</td> </tr> <tr> <td></td> <td></td> <td></td> <td>7. Other relevant components</td> <td>As per General Note No. 4 for Engineering Product.</td> </tr> </tbody> </table>	Sl. No.	Export Item	Qty.	Import Item	Qty. Allowed	C2006	Trumpet Horns	1 No.	1. CRCA Steel Strip 0.6 x 12 OR Spring	1.07 Kg/kg content in the export product Net to Net				2. CRCA Steel Strip 0.18 x 0.9 OR Membrane/ Diaphragm	1.20 Kg/kg content in the export product Net to Net				3. Alu-Zinc Steel Strip 1.25 x 118.4 OR Housing	1.22 Kg/kg content in the export product Net to Net				4. Super Enameled Copper Wire/ Copper Wire	1 Kg/kg content in the export product				5. ABS Black OR Trumpet	1.05 Kg/kg content in the export product Net to Net				6. Glue	1% of FOB value of export				7. Other relevant components	As per General Note No. 4 for Engineering Product.
Sl. No.	Export Item	Qty.	Import Item	Qty. Allowed																																							
C2006	Trumpet Horns	1 No.	1. CRCA Steel Strip 0.6 x 12 OR Spring	1.07 Kg/kg content in the export product Net to Net																																							
			2. CRCA Steel Strip 0.18 x 0.9 OR Membrane/ Diaphragm	1.20 Kg/kg content in the export product Net to Net																																							
			3. Alu-Zinc Steel Strip 1.25 x 118.4 OR Housing	1.22 Kg/kg content in the export product Net to Net																																							
			4. Super Enameled Copper Wire/ Copper Wire	1 Kg/kg content in the export product																																							
			5. ABS Black OR Trumpet	1.05 Kg/kg content in the export product Net to Net																																							
			6. Glue	1% of FOB value of export																																							
			7. Other relevant components	As per General Note No. 4 for Engineering Product.																																							
42.	9	GENERAL NOTES FOR ENGINEERING PRODUCTS	After the general note at Sl. No. 7, the following general note is added :- “8. Wherever import of Steel is allowed in the form of sheet, it will cover import of plate also and vice versa as long as both are made of same grade of steel.”																																								

Engineering Products

<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>
C2014	Wheels for Agricultural and Forestry Equipment such as Tractors, Backhoc Loaders, Lagskidders and Skid Steers (weight range 21 Kgs to 59 Kgs)	1 No.	1. HR Plates/HR Wide Coils (thickness greater than and equal to 5 mm) of relevant grade of steel 2. HR Sheets/HR wide Coils (thickness less than 5 mm) of relevant grade of Steel 3. Paint & Thinner 4. Welding Wire/Flux	1.20Kgs/Kg content in the export product 1.09Kgs/Kg content in the export product 3% of FOB value 3% of weight of Steel to be welded

EEPC CD DIRECTORY

EEPC Member Directory in CD format is available now. The Directory contains details of more than 12,000 member-exporters with their full contact information, product details along with quality certification. The Directory also contains 8,500 E-Mail addresses of EEPC members.

Price

Domestic Buyers : Rs. 500 (Courier Charges Extra)

Overseas Buyers : US\$ 25 + US\$ 5 extra for mailing

Interested buyers can also buy this Directory through VPP.