

**Government of India
Ministry of Commerce & Industry
Department of Commerce
New Delhi**

Public Notice No. 77 (RE-03)/2002-2007

Dated 26th August, 2004

The Directorate General of Foreign Trade, Ministry of Commerce and Industry, Department of Commerce, Government of India, New Delhi vide its Public Notice No. 77 (RE-03)/2002-2007 dated 26th August, 2004 has made certain amendments/deletions/corrections and additions in the Handbook of Procedures, Vol. 2, 2002-2007. The amendments/deletions/corrections and additions made with reference to engineering products are reproduced below :

Attention is invited to Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended and Paragraphs 4.9 and 4.10 of the Handbook of Procedures, Vol. 1, 2002-2007, as amended and also to the Handbook of Procedures, Vol. 2, 2002-2007, as amended from time to time.

2. In exercise of the powers conferred under Paragraph 2.4 of the Export and Import Policy 2002-2007, as amended, the Director General of Foreign Trade hereby makes the following amendments/deletions/corrections and additions in the Handbook of Procedures, Vol. 2, 2002-2007, as amended.

3. In the statement of Standard Input Output Norms as contained in the Handbook of Procedures, Vol. 2, 2002-2007, as amended, amendments/corrections/deletion at appropriate places as mentioned in Annexure "A" to this Public Notice shall be made.

4. In the statement of Standard Input Output Norms, following additions shall be made at appropriate places as mentioned below :-

Engineering Products

After the existing entry at Sl. No. C-1975, new entry at Sl. No. C-1976 to C-1985 shall be added as per *Annexure "C"* to this Public Notice.

Annexure "A"

Amendments/Corrections

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections</i>				
12.	631	Engineering Product Sl. No. C641	The norm covered by this entry shall be substituted by the following :-				
			<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>
			C641	Fabricated Steel Hardware/Structure/Articles not elsewhere specified made out of Non-Alloy/Alloy/Stainless Steel Plates/Sheets/Wide Coils/Strips	1 Kg.	1. Non-Alloy/Alloy/Stainless Steel Plates/Sheets/Wide Coils/Strips 2. Zinc Ingot (to be allowed only in case the product is Galvanised)	1.05 Kg./Kg. content in export product 1.04 Kg./Kg. content in export product
13.	644	Engineering Product Sl. No. C722	The norm covered by this entry shall be substituted by the following :-				
			<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>
			C722	M.S. Bucket Handle Duly plated with nickel or Copper or Zinc/ Powder Paint Coated	1 Kg.	1. M.S. Wire Rod 2. Nickel OR Zinc OR Copper OR Powder Paint	1.05 Kg. 0.97% of weight of Steel to be Nickel plated 0.97% of weight of Steel to be Zinc plated 0.97% of weight of Steel to be Copper plated 0.97% of weight of Steel to be Powder painted

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections</i>										
14.	746	Engineering Product Sl. No. C1214	The quantity of import item at Sl. No. 1, shall be amended to read as under :- "1.20 kg/kg content of brass in the export product"										
15.	8	Engineering Product Sl. No. C1376 (amended vide Public Notice No. 31 dated 05.11.2003)	The description of export item shall be amended to read as under : - "Machined cast bushings of Automotive & Non-Automotive application, Machined cast components for valves internals including casing, impellers, discs, plugs, yoke sleeves, yoke bushes, seals, spacers and bearing, hexagonal nuts, earthing clamps, spindle, stems, wedges, seat rings etc. manufactured out of Silicon brass/Silicon bronze/high tensile brass or with copper and alloying elements, like Zinc varying from 10-35% and other elements like Aluminium, Manganese, Silicon, Iron Lead each not exceeding 5% conforming to ASTM B584-C87500, C87600, C87610/ASTM B371"										
16.	9	Engineering Product Sl. No. C1377 (amended vide Public Notice No. 31 dated 05.11.2003)	The description of export item shall be amended to read as under : - "Machined cast bushings of Automotive & Non-Automotive application, Machined cast components for valves internals including casing, impellers, discs, plugs, yoke sleeves, yoke bushes, seals, spacers and bearing, hexagonal nuts, earthing clamps, spindle, stems, wedges, seat rings etc. manufactured out of Aluminium, Bronze or with copper and alloying elements like Aluminium 8 to 11% and Iron 1.5 to 3.5 conforming to BS 1400-AB1/ASTM B 148-C95200, C95300/DIN 1714 GCUAL 10 FE"										
17.	789	Engineering Product Sl. No. C1420	The norm covered by this entry shall be substituted by the following :- <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th><i>Sl. No.</i></th> <th><i>Export Item</i></th> <th><i>Qty.</i></th> <th><i>Import Item</i></th> <th><i>Qty. Allowed</i></th> </tr> </thead> <tbody> <tr> <td>C1420</td> <td>Fine Cobalt Powder Grain size 0.5 - 2 Micron</td> <td>1 Kg.</td> <td>1. Cobalt Granules/Cobalt Briquettes/Cobalt Cathode. OR Cobalt Chloride Solution containing Cobalt Metal</td> <td>1.04 Kg. 1.04 Kg. of Cobalt contained in Cobalt Chloride Solution</td> </tr> </tbody> </table>	<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>	C1420	Fine Cobalt Powder Grain size 0.5 - 2 Micron	1 Kg.	1. Cobalt Granules/Cobalt Briquettes/Cobalt Cathode. OR Cobalt Chloride Solution containing Cobalt Metal	1.04 Kg. 1.04 Kg. of Cobalt contained in Cobalt Chloride Solution
<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>									
C1420	Fine Cobalt Powder Grain size 0.5 - 2 Micron	1 Kg.	1. Cobalt Granules/Cobalt Briquettes/Cobalt Cathode. OR Cobalt Chloride Solution containing Cobalt Metal	1.04 Kg. 1.04 Kg. of Cobalt contained in Cobalt Chloride Solution									
18.	840	Engineering Product Sl. No. C1640	The norm covered by this entry shall be substituted by the following :- <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th><i>Sl. No.</i></th> <th><i>Export Item</i></th> <th><i>Qty.</i></th> <th><i>Import Item</i></th> <th><i>Qty. Allowed</i></th> </tr> </thead> <tbody> <tr> <td>C1640</td> <td>Fibreglass/Synthetic Filter Bags of different sizes with Snap Ring made of Stainless Steel AISI 301 and other fittings</td> <td>1 No.</td> <td>1. Fibreglass/Synthetic Filter Cloth of relevant GSM 2. Fibreglass/Synthetic Sewing Thread 3. Stainless Steel Strip AISI 301</td> <td>1.02 Sq. Yard/ Sq. Yard of cloth in export product 1.01 kg./kg. content in export product 1.02 kg./kg. content in export product</td> </tr> </tbody> </table>	<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>	C1640	Fibreglass/Synthetic Filter Bags of different sizes with Snap Ring made of Stainless Steel AISI 301 and other fittings	1 No.	1. Fibreglass/Synthetic Filter Cloth of relevant GSM 2. Fibreglass/Synthetic Sewing Thread 3. Stainless Steel Strip AISI 301	1.02 Sq. Yard/ Sq. Yard of cloth in export product 1.01 kg./kg. content in export product 1.02 kg./kg. content in export product
<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>									
C1640	Fibreglass/Synthetic Filter Bags of different sizes with Snap Ring made of Stainless Steel AISI 301 and other fittings	1 No.	1. Fibreglass/Synthetic Filter Cloth of relevant GSM 2. Fibreglass/Synthetic Sewing Thread 3. Stainless Steel Strip AISI 301	1.02 Sq. Yard/ Sq. Yard of cloth in export product 1.01 kg./kg. content in export product 1.02 kg./kg. content in export product									
19.	10	Engineering Product Sl. No. C1647 (amended vide Public Notice No. 27 dated 01.08.2002)	The description of import item (in Raw material) at Sl. No. 15, (with quantity) shall be amended to read as under :- 15(a) Relevant Welding Electrodes/Welding Wires - 2% of the weight of steel to be welded (b) Relevant Flux - Equal to the weight of welding wires"										
20.	868	Engineering Product Sl. No. C1734	1. The description of export product shall be amended to read as under :- "Non-Cast Hardware Fittings made of Non-Alloy/Alloy/Stainless Steel Rod" 2. The description of import item at Sl. No. 1, (without any change in quantity) shall be amended to read as under :- "Non-Alloy/Alloy/Stainless Steel Rod of relevant grade"										

<i>Sl. No.</i>	<i>Page No.</i>	<i>Reference</i>	<i>Amendments/Corrections</i>																				
21.	46 & 11	Engineering Product Sl. No. C1884 (amended vide Public Notice No. 03 dated 31.03.2003 & Public Notice No. 20 dated 01.08.2003)	The norm covered by this entry shall be substituted by the following :- <table border="1"> <thead> <tr> <th><i>Sl. No.</i></th> <th><i>Export Item</i></th> <th><i>Qty.</i></th> <th><i>Import Item</i></th> <th><i>Qty. Allowed</i></th> </tr> </thead> <tbody> <tr> <td>C1884</td> <td>Seamless Steel Casing and Tubing.</td> <td>1 Kg.</td> <td>1. Alloy/Non-Alloy Steel Billets/Rounds of relevant grade</td> <td>1.25 Kg.</td> </tr> <tr> <td></td> <td></td> <td></td> <td>2. Thread Protectors</td> <td>Net to net</td> </tr> <tr> <td></td> <td></td> <td></td> <td>3. Thread Inserts/Cut-Off Blades</td> <td>Upto 2% of FOB</td> </tr> </tbody> </table>	<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>	C1884	Seamless Steel Casing and Tubing.	1 Kg.	1. Alloy/Non-Alloy Steel Billets/Rounds of relevant grade	1.25 Kg.				2. Thread Protectors	Net to net				3. Thread Inserts/Cut-Off Blades	Upto 2% of FOB
<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>																			
C1884	Seamless Steel Casing and Tubing.	1 Kg.	1. Alloy/Non-Alloy Steel Billets/Rounds of relevant grade	1.25 Kg.																			
			2. Thread Protectors	Net to net																			
			3. Thread Inserts/Cut-Off Blades	Upto 2% of FOB																			
22.	16 & 478 of HBP (Vol-II) PART-II	GENERAL NOTES FOR ENGINEERING PRODUCTS (amended vide Public Notice No. 06 dated 08.05.2003)	After the General Note for Engineering products at Sl. No. 5, the following General Note shall be added :- "Note : 6. Where the manufacturing process commences from raw material stage the export product may be allowed to be exported in CKD/SKD condition."																				

Annexure "C"

Engineering Products

<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>
C1976	LT/HT Aerial Bunched Cables 1 x 25 + 25 Sq. mm.	1 Km.	1. Aluminium Ingot 2. XLPE Compound 3. Aluminium, Magnesium	68 Kg. 26 Kg. 68 Kg.
C1977	LT/HT Aerial Bunched Cables 3 x 25 + 1 x 25 Sq. mm.	1 Km.	1. Aluminium Ingot 2. XLPE Compound 3. Aluminium, Magnesium, Silicon Alloy Ingot	208 Kg. 80 Kg. 68 Kg.
C1978	LT/HT Aerial Bunched Cables 3 x 50 + 1 x 35 Sq. mm.	1 Km.	1. Aluminium Ingot 2. XLPE Compound 3. Aluminium, Magnesium, Silicon Alloy Ingot	383 Kg. 133 Kg. 93 Kg.
C1979	Power Entry Components without wire harness	1 No.	1. Brass Strip 2. Nylon 6 Moulding Powder/Granules	1.30 Kg./Kg. content in export product 1.05 Kg./Kg. content in export product
C1980	Electrical Aluminium Cutout	1 No.	1. Aluminium Alloy Ingots 2. Brass 3. Copper Wire Bar	1.02 Kg./Kg. content in export product 1.05 Kg./Kg. content in export product 1.01 Kg./Kg. content in export product
C1981	Silica Refractory Boards for Tundish/Ladle Lining	1 Mt.	1. Quartzite/Quartz Powder 2. Bonding Adhesive (Resin/Goulac) 3. Filler (Boric Acid or Borax, Paper/ Glass Fibre, Glass and Mineral Wool) 4. Wooden Moulds	1250 kg. 75 kg. 62.5 kg. 0.07 Nos.

<i>Sl. No.</i>	<i>Export Item</i>	<i>Qty.</i>	<i>Import Item</i>	<i>Qty. Allowed</i>
C1982	Hydraulic Cylinder for earth moving equipments	1 No.	1. Seal Dust. 2. Packing Rod 3. Bushing 4. O-Ring 5. Ring, Back Up 6. Ring Piston 7. Ring Wear 8. Seal Dust 9. Nylon Nut 10. Nut 11. Bolt 12. Washer 13. Non-Alloy cold drawn seamless steel tube of relevant grade 14. ERW Steel Tube	Net to net Net to net Net to net Net to net Net to net Net to net Net to net Net to net Net to net Net to net Net to net Net to net 1.1 Mtr./Mtr. content in export product 1.01 Mtr./Mtr. content in export product
C1983	ERW Steel Pipes/Tubes (Galvanised) ASTM Standard	1 Kg.	1. Hot rolled carbon steel sheets/strips/ plates/coils other than high carbon steel 2. Zinc (in kgs.)	0.9765 kgs. As per Engineering Table No. 11
Note : While the quantity of item No. 1 will remain the same for all thickness of the products, the quantity of item 2 will be as per the Engineering Table No. 11.				
C1984	ERW Steel Pipes/Tubes (Galvanised) other than ASTM Standards	1 Kg.	1. Hot rolled carbon steel sheets/strips/ plates/coils other than high carbon steel 2. Zinc (in kgs.)	0.9765 kgs. As per Engineering Table No. 11
Note : While the quantity of item No. 1 will remain the same for all thickness of the products, the quantity of item 2 will be as per the Engineering Table No. 11.				
C1985	Machined components for automotive application namely Sleeve/Bush	1 Kg.	1. Relevant Continuous Cast Tube of relevant sizes & specification	1.01 kg./kg. content in the export product

Engineering Table No. 11

Export Item - ERW Steel Pipes/Tubes (Galvanised)

<i>Sr. No.</i>	<i>Export Item (Standard)</i>	<i>Pipe thickness</i>					
		<i>1 mm. and below</i>	<i>Above 1 mm. to 2 mm.</i>	<i>Above 2 mm. to 3 mm.</i>	<i>Above 3 mm. to 4 mm.</i>	<i>Above 4 mm. to 5 mm.</i>	<i>5 mm. and above</i>
1.	ASTM	0.14 kg.	0.075 kg.	0.055 kg.	0.04 kg.	0.035 kg.	0.03 kg.
2.	Other than ASTM Standard	0.10 kg.	0.055 kg.	0.04 kg.	0.03 kg.	0.025 kg.	0.02 kg.